

## EAST Search History

| Ref # | Hits | Search Query  | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|------|---|--|------------------|---------|------------------|
| L1    | 1    | ("5636373").PN.   | USPAT;<br>USOCR  | OR               | OFF     | 2008/01/19 19:11 |
| L2    | 1    | "20080004852"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2008/01/19 19:12 |
| L3    | 1    | "20070294065"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2008/01/19 19:17 |
| L4    | 1    | ("6865688").PN.   | USPAT;<br>USOCR  | OR               | OFF     | 2008/01/19 19:17 |
| L5    | 198  | (LPAR or (logical adj3 partition))<br>same (simulat\$3 or model\$3) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/01/19 19:18 |
| L6    | 155  | I5 and resource and time  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/01/19 19:21 |
| L7    | 18   | I6 and (simulat\$3 or model\$3).ab.                                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/01/19 19:23 |
| L8    | 86   | deitch.in.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/01/19 19:23 |

## EAST Search History

|     |     |   |  |    |     |                  |
|-----|-----|---|--|----|-----|------------------|
| L9  | 0   | l8 and lpar   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/01/19 19:23 |
| L10 | 938 | 703/21  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/01/19 19:23 |
| L11 | 4   | l10 and lpar  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/01/19 19:23 |
| S1  | 2   | "4890227".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB          | OR | OFF | 2006/09/10 17:54 |
| S2  | 35  | ("4123795"   "4228495"   "4432051"<br>  "4541043"   "4570217"  <br>"4601008").PN. OR ("4890227").<br>URPN.  | US-PGPUB;<br>USPAT;<br>USOCR   | OR | OFF | 2008/01/19 19:09 |
| S3  | 44  | ("5838968").URPN.   | USPAT  | OR | OFF | 2006/09/10 18:00 |
| S4  | 0   | LPAR and "Internation Business<br>Machines Corporation".as.   | USPAT  | OR | OFF | 2006/09/10 18:00 |
| S5  | 152 | LPAR and "International Business<br>Machines Corporation".as.   | USPAT  | OR | OFF | 2006/09/10 18:00 |
| S6  | 18  | S5 and resource and percentage  | USPAT  | OR | OFF | 2006/09/10 18:00 |
| S7  | 20  | S5 and resource and percentage  | USPAT  | OR | ON  | 2006/09/10 18:02 |
| S8  | 1   | S7 and time and slice   | USPAT  | OR | ON  | 2006/09/10 18:26 |
| S9  | 8   | ("20010013008" "20010016808" "20<br>020116441" "20030139917" "20030<br>200059" "5615357" "5668995" "578<br>4702" "5881268" "6006027" "62329<br>72" "6605585" "6622221").PN. | USPAT  | OR | ON  | 2006/09/10 18:31 |
| S10 | 405 | (resource near3 allocation) same<br>CPU same resource   | USPAT  | OR | ON  | 2006/09/10 18:32 |
| S11 | 33  | (logic near3 partition\$3) same CPU   | USPAT  | OR | ON  | 2006/09/10 18:32 |

## EAST Search History

|     |     |   |  |    |     |                  |
|-----|-----|---|--|----|-----|------------------|
| S12 | 6   | LPAR and time\$slice                            | US-PGPUB;<br>USPAT;<br>USOCR   | OR | ON  | 2006/09/11 09:47 |
| S13 | 9   | (LPAR or logical adj partition) and time\$slice | US-PGPUB;<br>USPAT;<br>USOCR   | OR | ON  | 2008/01/03 12:07 |
| S14 | 4   | "678535".ap.                                    | US-PGPUB;<br>USPAT;<br>USOCR   | OR | OFF | 2006/09/12 07:56 |
| S15 | 710 | 703/21  | US-PGPUB;<br>USPAT;<br>USOCR   | OR | OFF | 2006/09/12 18:06 |
| S16 | 62  | lpar same (simulat\$3 model\$3)                 | US-PGPUB;<br>USPAT;<br>USOCR   | OR | OFF | 2007/05/17 14:20 |
| S17 | 68  | lpar same (simulat\$3 model\$3)                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/05/17 14:21 |
| S18 | 2   | S17 and time and slice and dispatch and CP      | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/05/17 14:21 |
| S19 | 3   | S17 and time and slice and dispatch             | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/05/17 14:21 |
| S20 | 8   | S17 and time and slice                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/05/17 14:21 |
| S21 | 5   | S20 not S19                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/05/17 14:44 |

## EAST Search History

|     |     |   |  |    |     |                  |
|-----|-----|---|--|----|-----|------------------|
| S22 | 2   | "20070174458"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/01/03 12:03 |
| S23 | 2   | "20060259683"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/01/03 12:03 |
| S24 | 2   | "20050259683"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/01/03 12:03 |
| S25 | 874 | (LPAR or (logical adj partition)) and (simulat\$3 or model\$3) and resource | US-PGPUB;<br>USPAT;<br>USOCR   | OR | ON  | 2008/01/19 19:18 |
| S26 | 848 | S25 and (time or clock)   | US-PGPUB;<br>USPAT;<br>USOCR   | OR | ON  | 2008/01/03 12:07 |
| S27 | 552 | S26 and (CP OR CPU OR (central near2 process\$3))                           | US-PGPUB;<br>USPAT;<br>USOCR   | OR | ON  | 2008/01/03 12:08 |
| S28 | 364 | S27 and @ad<"20040227"  | US-PGPUB;<br>USPAT;<br>USOCR   | OR | ON  | 2008/01/03 12:08 |
| S29 | 75  | S28 and percent\$3  | US-PGPUB;<br>USPAT;<br>USOCR   | OR | ON  | 2008/01/03 12:09 |
| S30 | 15  | ("5796606"   "5884037"   "5956702"   "5966509").PN. OR ("6574587").URPN.    | US-PGPUB;<br>USPAT;<br>USOCR   | OR | OFF | 2008/01/03 12:11 |

## EAST Search History

|     |    |   |  |    |     |                  |
|-----|----|---|--|----|-----|------------------|
| S31 | 30 | ("20010003830"   "20020046268"   "20020059365"   "5475844"   "5761091"   "5768520"   "5884037"   "5889989"   "5951644"   "5995997"   "6086618"   "6148335"   "6195622"   "6230204"   "6263361"   "6279039"   "6327677"   "6351775"   "6374300"   "6408335"   "6430618"   "6460082"   "6463454"   "6487170"   "6516348"   "6542854"   "6574587"   "6578068"   "6606658"   "6862623").PN. | US-PGPUB;<br>USPAT;<br>USOCR   | OR | OFF | 2008/01/03 12:20 |
| S32 | 16 | ("5668995"   "5761091"   "5838919"   "6086618"   "6108800"   "6209033"   "6301615"   "6317778"   "6542854"   "6574587").PN. OR ("6898564").URPN.  | US-PGPUB;<br>USPAT;<br>USOCR   | OR | OFF | 2008/01/03 12:27 |
| S33 | 2  | S32 and (partition or lpar)   | US-PGPUB;<br>USPAT;<br>USOCR   | OR | OFF | 2008/01/03 12:35 |
| S34 | 29 | ((capacity near2 planning) or (resource near allocat\$4)) same (simulat\$3 model\$3)) and (lpar or (logical near2 partition))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/01/03 12:41 |
| S35 | 1  | ("4939507").PN.   | USPAT;<br>USOCR  | OR | OFF | 2008/01/04 12:56 |
| S36 | 0  | ("6950787.pn.").PN.   | USPAT;<br>USOCR  | OR | OFF | 2008/01/04 12:56 |
| S37 | 0  | ("6950787.pn.").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/01/04 12:57 |
| S38 | 2  | ("6950787").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/01/04 12:57 |

## EAST Search History

|     |   |               |  |    |     |                  |
|-----|---|---------------|--|----|-----|------------------|
| S39 | 2 | "4890227".pn. | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/01/08 15:34 |
|-----|---|---------------|--|----|-----|------------------|

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▾

[Sign in](#)

Google

(LPAR OR "logical partition") (simulation or model)

Search

[Advanced Search](#)  
[Preferences](#)

Try uppercase "OR" to search for either of two terms. [\[details\]](#)

**Web Results 11 - 20** of about **28,700** for (LPAR OR "logical partition") (simulation or model). (0.07 seconds)

### [Biztech India > Simulation Model To Generate Real-Time Warnings ...](#)

TEWS also consists of a **simulation model** that has been developed in association ... In fact, one **LPAR (logical partition)** on the IBM p590 server is entirely ...  
[www.tech2.com/.../features/egovernance/simulation-model-to-generate-realtime-warnings-for-tsunami/10601/0 - 64k - Cached - Similar pages](#)

### [z/CECSIM: An efficient and comprehensive microcode simulator for ...](#)

Power-on reset **simulation** includes loading and initialization of the **LPAR** hypervisor, thereby testing all of its interactions with the SE, 1390 code, ...  
[findarticles.com/p/articles/mi\\_qa3751/is\\_200207/ai\\_n9095577/pg\\_4 - 27k - Cached - Similar pages](#)

### [Patent Applications published Week 51, 2007](#)

An RTL hardware description language **simulation** accelerator and circuit ... product for implementing plans for **logical partition (LPAR)** systems includes the ...  
[www.freepatentsonline.com/PD-12202007-p15.html - 77k - Cached - Similar pages](#)

### [\[PDF\] SIMULATION OF INTERDIGITATED STRUCTURES USING TWO-COUPLED LINE MODELS](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
In fact, this **simulator** only includes **models** for two and three asymmetric and ....  
**Simulation** of the ground connection of the resonators. IND 6 0 L^Lpar ...  
[www.gmr.ssr.upm.es/apache2-default/gus\\_mj\\_2000.pdf - Similar pages](#)

### [\[GZIP\] From manolios at cc.gatech.edu Fri Oct 6 12:14:39 2006 From ...](#)

File Format: Gzip Archive - [View as HTML](#)  
Improving an Industrial **Simulation** Methodology with Formal Methods Panelists Edmund ...  
All these pages are, of course, accessible from **LPAR 2006** main page. ...  
[lists.metaprl.org/pipermail/metaprl-users/2006-October.txt.gz - Similar pages](#)

### [\[PDF\] Substrate Noise Analysis Tool User's Guide](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
If a **simulation** has been run previously, SNAT can reuse that event **model**. ... **Lpar** (nH): 3.  
**Cpar** (pF): 10. Finally, SNAT prompts the user to use the ...  
[www-mtl.mit.edu/researchgroups/icsystems/subnoise/papers/snatuser.pdf - Similar pages](#)

### [\(WO/2007/082814\) METHOD FOR MODELING A FREE POOL OF RESOURCES](#)

The **simulation** inputs include: the number of **LPARs**, the number of engines allocated for each **LPAR**, a collective target utilization for all **LPARs**, ...  
[www.wipo.int/pctdb/en/wo.jsp?wo=2007082814&IA=WO2007082814&DISPLAY=DESC - 28k - Cached - Similar pages](#)

### [Logical partition management apparatus and method for handling ...](#)

Because **LPAR** breaks the traditional **model** of one operating system .... This effectively allows the detection and **simulation** of delay **SRI**s in the future. ...  
[www.patentstorm.us/patents/6865688-description.html - 49k - Cached - Similar pages](#)

### [CSL Annual Report 2004](#)